

API OVERVIEW

Overview, use cases and case studies on the Home Devices QoD API

Telefónica Open Gateway





Table of Contents

1 Description

02. Characteristics

Use Cases

04. Case Studies

05. Getting Started

06. Documentation

07 FAQs

108 Related Resources



Description



The Home Devices QoD API, short for "Quality of Service-on-Demand Wi-Fi Application Programming Interface", is an application programming interface.


That enables third-party clients to dynamically configure and manage Quality of Service (QoS) behaviour's for devices connected to a user's home Wi-Fi network.

Also known as Home Devices API, its primary purpose is to enhance the quality of user experience for various applications and services running on home devices. It achieves this by offering on-demand QoS control,

which can be particularly beneficial for real-time applications such as virtual reality (VR), augmented reality (AR), video communication, cloud gaming, and voice over IP (VoIP).



Features and Categorization







Characteristics of Home Devices QoD API



Overview

Characteristics of Home Devices QoD







Dynamic DSCP Assignment

Dynamic DSCP (*Differentiated Services Code Point*) Assignment is a numerical value included in data packet headers to specify their priority and how they should be treated within the network.

Think of Dynamic DSCP Assignment as creating express lanes on a digital highway: it enables the labelling of various traffic types (such as voice calls and video) for prioritized handling, ensuring that critical data arrives swiftly while less urgent data follows a slower path.

Traffic Classification and QoS

Provides eight levels of traffic prioritization within the home network, ensuring that data flows are treated appropriately based on their importance and requirements. Briefly, these prioritization levels are:

- CS0 (Class Selector 0): Default traffic class for unclassified data.
- CS1 (Class Selector 1): Low-priority class for less critical traffic.
- AF11, AF12, AF13 (Assured Forwarding): Assured Forwarding classes with different priority levels.
- AF21, AF22, AF23: Additional Assured Forwarding classes.
- CS6 (Class Selector 6): For critical network control applications.
- CS7 (Class Selector 7): High-priority class for crucial network control traffic.
- EF (Expedited Forwarding): Reserved for high-priority traffic like VoIP.
- MAX_ALLOWED: Represents the maximum allowed priority level.

Targeted Home Network Devices

This API is purpose-built to oversee and fine-tune the performance of devices linked to the user's home router within the confines of the home network. It offers meticulous control and the ability to fine-tune the settings of these devices, guaranteeing a personalized quality of service (QoS) and an enriched user experience.




Overview

Characteristics of one standard Home Devices QoD







Integration in home environment

With a standardized API, developers can seamlessly Quality of Service (QoS) capabilities into the home environment.

Uniform Access to Telco Capabilities

The standardized API provides uniform access to various telco capabilities, such as QoD in home, through a single interface. This ensures consistency and versatility across different operators and markets.

Enhanced Dev Experience

This API offers a user-friendly interface for configuring QoS settings. Users can easily customize the QoS parameters for their home devices without the need for advanced technical knowledge. This simplifies the management of network priorities, ensuring a smooth and efficient user experience within the home network.



Use cases



Enhancing Home Tele-Work Experience

The Home Tele-Work application leverages the powerful Home Devices QoD API to provide users with an exceptional remote working experience. With this solution, employees can accomplish the following:

- Enhanced Communication: Prioritize calls and video conferences for effective remote communication.
- **Seamless Streaming**: Ensure uninterrupted content streaming for presentations and videos.
- Optimal Business Apps: Maintain peak performance for critical business applications.
- **Dynamic Control**: Administrators can adapt network quality to meet changing needs, ensuring an exceptional home tele-work experience.



OTHER RELATED APIS Quality on Demand	SECTOR	TIC
	SERVICE	HOME TELECOM SOLUTIONS

- · Competitive Edge: Stand out by offering top-quality telework solutions, meeting rising demand.
- Improved User Experience: Home Devices QoD API enhances telecommuting apps with better communication, video, and data streaming.
- Easy Integration: Streamline development with seamless API integration, saving time and resources.



Empower Your Smart Devices with Home Devices QoD API

Elevate your smart device offerings with the cutting-edge capabilities of the Home Devices QoD API. Provide your customers with an unparalleled level of control and performance for their connected devices, including thermostats, cameras, and lighting systems.. Seamlessly prioritize and optimize the performance of your connected devices, such as thermostats, security cameras, and lighting systems, ensuring efficient operation and uninterrupted convenience.

- **Effortless Prioritization:** Prioritize traffic for your smart devices, ensuring they receive the bandwidth and responsiveness they need for optimal functionality.
- **Smooth Streaming:** Enjoy uninterrupted streaming of security footage or content from your smart cameras and entertainment systems, all with minimal latency.



OTHER RELATED APIS Quality on Demand	SECTOR	TIC
	SERVICE	CONNECTIVITY

- **Product Performance:** Enhance the performance of your IoT devices, meeting the expectations of tech-savvy consumers who seek top-notch smart home experiences.
- **Competitive Advantage**: Leverage Home Devices QoD API to differentiate your IoT devices in the market with advanced quality of service (QoS) capabilities, making them stand out among competitors.
- User Satisfaction: Offer a user-friendly and hassle-free experience with seamless connectivity and control, leading to increased customer satisfaction and loyalty.



Home Entertainment Streaming

Take your home entertainment services to the next level with the Home Devices QoD API. Seamlessly deliver uninterrupted streaming experiences to your customers, ensuring they enjoy a world of entertainment within their homes without disruptions.

- Seamless Content Delivery: Offer your customers uninterrupted streaming of movies, TV shows, and content, creating a captivating and immersive entertainment ecosystem.
- **Optimized Gaming**: Provide lag-free online gaming experiences with reduced latency, giving gamers the competitive advantage, they desire.



Quality on Demand SECTOR MEDIA, ENTERTAINMENT & XR SERVICE CONNECTIVITY

- Access to Advanced Features: Developers can leverage the advanced Quality of Service (QoS) capabilities offered by the API to enhance the performance and efficiency of their applications.
- **Easy Integration**: The API seamlessly integrates with other network management solutions and automation tools, making it easier to incorporate QoS capabilities into broader and more complex network environments.



Next-Gen VR and XR Experiences Enhanced

Revolutionize your VR and XR applications with the Home Devices QoD API.

Seamlessly optimize content delivery, reduce latency, and create immersive Virtual Reality (VR) and Extended Reality (XR) experiences that captivate users like never before.

- Immersive Content Delivery: Harness advanced algorithms for smooth, efficient content delivery, eliminating interruptions and enhancing immersion in VR and XR worlds.
- Ultra-Low Latency: Leverage Quality of Service (QoS) mechanisms to slash network latency, delivering a hyper-realistic and highly responsive experience, ideal for demanding VR and XR applications.



OTHER RELATED APIS Quality on Demand SECTOR MEDIA, ENTERTAINMENT & XR SERVICE CONNECTIVITY

- Efficient Content Delivery: Developers need a solution to ensure that content, whether it's streaming video, VR experiences, or gaming data, is delivered efficiently and without interruptions.
- Multi-User Experiences: Developers often want to create multiplayer and collaborative experiences in their applications. They need the capability to synchronize actions and minimize delays for multiple users.
- **Precise Interaction:** Developers aim to enhance user interactions with virtual elements, and reduced latency and precise tracking are key to achieving natural and intuitive interactions.



Case Studies



Overview / Case Studies

Uninterrupted online gaming

Performance when playing online games at home is key to a good user in-game experience. Smart WiFi is a Movistar service that allows you to manage the connection of the different devices in a home connected to a Wi-Fi network. Thanks to the integration of the Home Devices QoD API, Smart WiFi can interact with the network in real time to configure appropriate gaming parameters for better signal stability. This means offering premium-quality home connectivity to enhance users' gaming experiences.





SECTOR

MEDIA, ENTERTAINMENT & XR





Start using Home Devices QoD API



Getting Started with Home Devices QoD API

Harness the power of Open Gateway and seamlessly integrate our API services into your app

Follow these initial steps for seamless API services to Developers within Channel Partners' environments, including Operators API Services integration for a cohesive product experience and efficient collaboration among stakeholders.













CHOOSE A CHANNEL PARTNER

Select a suitable channel partner or payment aggregator that offers integration with the Open Gateway API to meet your needs and business goals.

2

PRODUCT DISCOVERY

You can access the
Open Gateway QoD Wi-Fi
Service through the
Channel Partner's developer
portal.

.(3

DEVELOPER REGISTRATION

To use Open
Gateway Products, you must
undergo a registration process
that includes signing up on
both the Channel Partner
and Operator platforms.

4

QoD Wi-Fi API CONSUMPTION

After subscribing and sharing credentials, you can access the Open Gateway Product on registered Operators, making API calls through the Channel Partner's gateway.

5

PRIVACY MANAGEMENT

Some Open Gateway Products require end user consent for Developers to access Operator's network capabilities on their behalf.



Documentation



Official Home Devices QoD CAMARA API Documentation

Over CAMARA

CAMARA is an open-source project within Linux Foundation to define, develop and test the APIs. CAMARA works in close collaboration with the GSMA Operator Platform Group to align API requirements and publish API definitions and APIs. Harmonization of APIs is achieved through fast and agile created working code with developer-friendly documentation. API definitions and reference implementations are free to use (Apache2.0 license).

Camara is supported by:





Meetings

- Regular Virtual Meetings
- · bi-weekly, Thursday,
- 4:30pm CET



Contributor ship & Mailing List

✓ Subscribe



CCB (Subproject)

CAMARA Home devices QoD
GitHub



FAQs



Home Devices QoD API / FAQs

What is the Home Devices QoD API, and what is its primary purpose?

The Home Devices QoD API is an Application Programming Interface designed to enable developers to control Quality of Service (QoS) for devices connected to a home network. Its primary purpose is to provide tools for optimizing data delivery and improving user experience in applications such as streaming, gaming, and virtual reality.

What are the main technical features of the Home Devices QoD API?

Key technical features include content delivery optimization, network latency reduction, support for multi-user experiences, and customization of network environments for specific applications.

Which types of applications benefit the most from the Home Devices QoD API?

Applications like video streaming, online gaming, virtual reality (VR), and multi-user collaborative apps benefit the most by ensuring optimal Quality of Service.

How can I integrate the Home Devices QoD API into an existing application?

Integration is relatively straightforward. We provide detailed documentation and code examples to guide developers through the integration process.

Does the Home Devices QoD API support multi-user applications?

Yes, the API supports multi-user experiences with synchronization and latency reduction features to ensure smooth collaboration.

What is the role of the GSMA in standardizing the Home Devices QoD API?

The GSMA plays a key role in setting standards and guidelines for QoD Wi-Fi, ensuring consistency and interoperability across the industry.



Home Devices QoD API / FAQs

Can the API be used to prioritize specific types of traffic, such as voice over IP (VoIP) or video conferencing?

Yes, the API allows developers to prioritize specific types of traffic based on their QoS requirements, including VoIP and video conferencing.

Can the Home Devices QoD API be used in both residential and business network environments?

Currently, the API is primarily designed and supported for residential network environments. It provides Quality of Service (QoS) enhancements tailored for home use cases. Support for business network environments may be explored in the future.

Can the Home Devices QoD API be used to control Quality of Service in online gaming applications?

Yes, the API is well-suited for online gaming. It reduces network latency, synchronizes player actions, and ensures optimal performance in multiplayer games.

How do VR applications benefit from the Home Devices QoD API?

The API reduces latency and optimizes content delivery, significantly improving immersion and the user experience in VR applications.

What advantages does the Home Devices QoD API offer for smart home applications and IoT devices?

It allows customization of data traffic for home IoT devices, prioritizing actions such as lighting and thermostat control for a more efficient smart home experience.

Is it possible to use the Home Devices QoD API for home security and surveillance applications?

Yes, the API is ideal for home security and surveillance applications. It reduces latency in real-time video streaming and ensures more effective monitoring.



Related Resources



Further information

Join our Developer Hub

Join the <u>Telefónica Open Gateway</u>

<u>Developer Hub</u> to test our APIs,

develop use cases with the power of
the network and improve user
experiences.

Enroll our Partner Program

If you are interested in the potential of
Telefónica Open Gateway and you are willing
to collaborate with us, you can **enroll our exclusive Partner Program**.

Subscribe our newsletter

Find out all about the latest of Telefónica Open Gateway in our newsletter.

Contact our experts

If you have any questions about the initiative, don't hesitate to **contact our experts**.





